

Safety Data Sheet

Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name

2-Ethylhexanoyl Chloride

Synonyms

2-EHCL; Acid Chloride; C8H15ClO; CEHCL; Crude 2-Ethylhexanoyl Chloride; Octoic

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s)

Chemical reagent; Pharmaceutical synthesis

Use(s) advised against

• Do not use for products which come into contact with foodstuffs. Reason: Poisonous

1.3 Details of the supplier of the safety data sheet

Manufacturer

ALTIVIA Specialty Chemicals, LLC

1100 Louisiana St.

Suite 4800

Houston, TX 77002 www.altivia.com

Telephone (General) • +1 713-658-9000

Responsible Party - EU

Intertek France

12 Rue Alfred Kastler 71530 Fragnes

France

christian.gimenez@intertek.com

Telephone (General) • 33 (0) 385 99 1274 **Telephone (General)** • 33 385 99 1288

1.4 Emergency telephone number

Manufacturer

MAIN +1 281-842-6230

BACKUP +1 281-471-5147 ext 6230

Section 2: Hazards Identification

EU/EEC

According to Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010] According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

2.1 Classification of the substance or mixture

CLP

Acute Toxicity Oral 4 - H302 Skin Corrosion 1B - H314 Serious Eye Damage 1 - H318 Acute Toxicity Inhalation 2 - H330

DSD/DPD • Harmful (Xn)

Toxic (T) Corrosive (C) R22, R26, R34

2.2 Label Elements **CLP**

DANGER







Hazard statements .

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage.

H318 - Causes serious eye damage

H330 - Fatal if inhaled

Precautionary statements

Prevention P260 - Do not breathe mist/vapours/spray.

P264 - Wash thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P284 - Wear respiratory protection.

Response P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P310 - Immediately call a POISON CENTER or doctor/physician.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P363 - Wash contaminated clothing before reuse.

P321 - Specific treatment, see supplemental first aid information. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P301+P312 - IF SWALLOWED: Immediately call a POISON CENTER or

doctor/physician if you feel unwell.

P330 - Rinse mouth.

P331 - Do NOT induce vomiting.

Storage/Disposal •

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

DSD/DPD







Risk phrases .

R22 - Harmful if swallowed.

R26 - Very toxic by inhalation.

R34 - Causes burns.

Safety phrases •

S36 - Wear suitable protective clothing.

S37 - Wear suitable gloves.

S39 - Wear eye/face protection.

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

2.3 Other Hazards

CLP

Contact with water produces toxic and corrosive fumes -Hydrogen chloride HCI) According to Regulation (EC) No. 1272/2008 (CLP) this material is considered hazardous.

DSD/DPD

Contact with water produces toxic and corrosive fumes -Hydrogen chloride HCI) This product is considered dangerous according to the European Directive 67/548/EEC.

UN GHS

According to Third Revised Edition

2.1 Classification of the substance or mixture

UN GHS

Flammable Liquids 4 - H227 Acute Toxicity Oral 4 - H302 Acute Toxicity Dermal 5 - H313 Skin Corrosion 1B - H314 Serious Eye Damage 1 - H318 Acute Toxicity Inhalation 2 - H330 Reproductive Toxicity 2 - H361

2.2 Label elements **UN GHS**

DANGER









Hazard statements .

H227 - Combustible liquid

H302 - Harmful if swallowed

H313 - May be harmful in contact with skin

H314 - Causes severe skin burns and eye damage.

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H361 - Suspected of damaging fertility or the unborn child.

Precautionary statements

Prevention •

P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P210 - Keep away from heat, sparks, open flames and/or hot surfaces. - No smoking.

P260 - Do not breathe dust.

P264 - Wash thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P281 - Use personal protective equipment as required.

Response • P370+P378 - In case of fire: Use appropriate media for extinction.

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P310 - Immediately call a POISON CENTER or doctor/physician.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

P363 - Wash contaminated clothing before reuse.

P321 - Specific treatment, see supplemental first aid information. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P301+P312 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician if you feel unwell.

P330 - Rinse mouth.

P331 - Do NOT induce vomiting.

P308+P313 - IF exposed or concerned: Get medical advice/attention.

Storage/Disposal .

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P235 - Keep cool.

P405 - Store locked up.

P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Supplemental information • (Dermal) 96.82 percent of this product consists of an ingredient of unknown toxicity.

2.3 Other hazards

UN GHS

Contact with water produces toxic and corrosive fumes -Hydrogen chloride HCl) According to the Globally Harmonized System for Classification and Labeling (GHS) this product is considered hazardous.

United States (US)

According to OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

OSHA HCS 2012

Flammable Liquids 4 - H227 Acute Toxicity Oral 4 - H302 Skin Corrosion 1B - H314 Serious Eye Damage 1 - H318 Acute Toxicity Inhalation 2 - H330
Reproductive Toxicity 2 - H361
Hazards Not Otherwise Classified - Physical Hazard - Contact with water produces

toxic and corrosive fumes -Hydrogen chloride (HCI)

2.2 Label elements **OSHA HCS 2012**

DANGER









Hazard statements . Combustible liquid - H227

Harmful if swallowed - H302

Causes severe skin burns and eye damage. - H314

Causes serious eye damage - H318

Fatal if inhaled - H330

Suspected of damaging fertility or the unborn child. - H361

Precautionary statements

Prevention • Obtain special instructions before use. - P201

Do not handle until all safety precautions have been read and understood. - P202 Keep away from heat, sparks, open flames and/or hot surfaces. - No smoking. - P210 Do not breathe mist/vapours/spray. - P260

Wash thoroughly after handling. - P264

Do not eat, drink or smoke when using this product. - P270

Use only outdoors or in a well-ventilated area. - P271

Wear protective gloves/protective clothing/eye protection/face protection. - P280

Use personal protective equipment as required. - P281

Response In case of fire: Use appropriate media for extinction. - P370+P378

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. - P304+P340

Immediately call a POISON CENTER or doctor/physician. - P310

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower. - P303+P361+P353 Wash contaminated clothing before reuse. - P363

Specific treatment, see supplemental first aid information. - P321

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing. - P305+P351+P338 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician if you feel

unwell. - P301+P312 Rinse mouth. - P330

Do NOT induce vomiting. - P331

IF exposed or concerned: Get medical advice/attention. - P308+P313

Storage/Disposal •

Store in a well-ventilated place. Keep container tightly closed. - P403+P233

Keep cool. - P235

Store locked up. - P405

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. - P501

2.3 Other hazards

OSHA HCS 2012

 Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Canada

According to WHMIS

2.1 Classification of the substance or mixture

WHMIS

 Combustible Liquids - B3 Very Toxic - D1A Corrosive - E

2.2 Label elements

WHMIS







Combustible Liquids - B3
 Very Toxic - D1A
 Corrosive - E

2.3 Other hazards WHMIS

 Contact with water produces toxic and corrosive fumes -Hydrogen chloride HCl) In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

Section 3 - Composition/Information on Ingredients

3.1 Substances

	Composition				
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive	
Hexanoyl chloride, 2-ethyl-	CAS:760-67-8 EINECS:212-081- 1	> 97%	Inhalation-Rat LC50 • 1260 mg/m ³	UN GHS: Acute Tox. 4 (oral); Acute Tox. 2 (inhl); Skin Corr. 1B; Eye Dam. 1 EU DSD/DPD: Self Classified: T+ R26 Xn R22 C R34 EU CLP: Self Classified: Acute Tox. 4, H302; Acute Tox. 2, H330; Skin Corr. 1B, H314; Eye Dam. 1, H318 OSHA HCS 2012: Acute Tox. 4 (oral); Acute Tox. 2 (inhl); Skin Corr. 1B; Eye Dam. 1	
Hydrochloric acid	CAS:7647-01-0 EC Number:231- 595-7 EU Index:017- 002-00-2	< 1%	Inhalation-Rat LC50 • 3124 ppm 1 Hour(s) Ingestion/Oral-Rabbit LD50 • 900 mg/kg	UN GHS: Skin Corr. 1B; Eye Corr. 1 EU DSD/DPD: Annex VI, Table 3.2: T R23 C R35 EU CLP: Annex VI, Table 3.1: Skin Corr. 1B, H314; STOT SE 3: Resp. Irrit., H335 OSHA HCS 2012: Skin Corr. 1B; Eye Corr. 1	
2-Ethylhexanoic Anhydride	CAS:36765-89-6 EINECS:253-195- 1	< 1%	NDA	UN GHS: Not Classified EU DSD/DPD: Not Classified EU CLP: Not Classified OSHA HCS 2012: Not Classified	
2-ethyl-Hexanoic acid	CAS:149-57-5 EC Number:205- 743-6 EU Index:607- 230-00-6	< 1%	Ingestion/Oral-Rat LD50 • 3 g/kg Skin-Rabbit LD50 • 1260 µL/kg	UN GHS: Repr 2; Eye Irrit. 2; Acute Tox. 4 (skn, oral) EU DSD/DPD: Annex VI, Table 3.2: Repr.Cat.3 R63 EU CLP: Annex VI, Table 3.1: Repr. 2, H361d OSHA HCS 2012: Repr. 2; Eye Irrit. 2; Acute Tox. 4 (skn, oral)	

2-Pyrrolidinone, 1- octyl-	CAS:2687-94-7 EC Number:403- 700-8 EU Index:613- 098-00-0	< 0.3%	Ingestion/Oral-Rat LD50 • 2050 mg/kg Skin-Rabbit LD50 • >2 g/kg	UN GHS: Skin Corr. 1C; Eye Dam. 1C EU DSD/DPD: Annex VI, Table 3.2: C R34 N R51-53 EU CLP: Annex VI, Table 3.1: Skin Corr. 1B, H314; Aquatic Chronic 2, H411 OSHA HCS 2012: Skin Corr. 1C; Eye Dam. 1C
Phosgene	CAS:75-44-5 EC Number:200- 870-3 EU Index:006- 002-00-8	< 0.2%	NDA	UN GHS: Press. Gas - Liq.; Eye Dam. 1; Skin Corr. 1B; Acute Tox. 1 (inhl) EU DSD/DPD: Annex VI, Table 3.2: T+ R26 C R34 EU CLP: Annex VI, Table 3.1: Press. Gas - Liq., H280; Acute Tox. 2, H330; Skin Corr., H314 OSHA HCS 2012: Press. Gas - Liq.; Eye Dam. 1; Skin Corr. 1B; Acute Tox. 1 (inhl)

3.2 Mixtures

 Material does not meet the criteria of a mixture in accordance with Regulation (EC) No 1272/2008.

See Section 16 for full text of H-statements and R-phrases.

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation

 Move victim to fresh air. Administer oxygen if breathing is difficult. Do not use mouthto-mouth method if victim inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Give artificial respiration if victim is not breathing.

Skin

For minor skin contact, avoid spreading material on unaffected skin. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Remove and isolate contaminated clothing. Get medical attention immediately.

Eye

In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation develops and persists, get medical attention.

Ingestion

 Do NOT induce vomiting. Do not use mouth-to-mouth method if victim ingested the substance. Obtain medical attention immediately if ingested.

4.2 Most important symptoms and effects, both acute and delayed

Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician

 All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Section 5 - Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media . In case of fire, use dry chemical powder, Carbon dioxide, Foam.

Unsuitable Extinguishing

DO NOT use water.

5.2 Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards

Containers may explode when heated.
 Vapor explosion hazard indoors, outdoors or in sewers.
 HIGHLY FLAMMABLE: Will be easily ignited by heat, sparks or flames.
 Many liquids are lighter than water.

Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks).

Runoff to sewer may create fire or explosion hazard.

Vapors may form explosive mixtures with air.

Vapors may travel to source of ignition and flash back.

Hydrolyzes exothermically in water, liberating hydrogen chloride vapors.

Hazardous Combustion Products

 Decomposition products may include the following materials: Carbon oxides. Hydrogen chloride (HCl). Phosgene gas.

5.3 Advice for firefighters

Structural firefighters' protective clothing will only provide limited protection.
 Wear positive pressure self-contained breathing apparatus (SCBA).
 Move containers from fire area if you can do it without risk.
 LARGE FIRES: Cool containers with flooding quantities of water until well after fire is out.

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Precautions

Ventilate enclosed areas. Do not walk through spilled material. Wear appropriate
personal protective equipment, avoid direct contact. Do not touch damaged containers
or spilled material unless wearing appropriate protective clothing. Do not breathe mist,
vapors, spray. CAUTION: Victim may be a source of contamination.

Emergency Procedures

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. LARGE SPILL: Consider initial downwind evacuation for at least 300 meters (1000 feet) Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Do not get water inside container. Ventilate closed spaces before entering.

6.2 Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures

Stop leak if you can do it without risk.

Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.

Use clean non-sparking tools to collect absorbed material.

All equipment used when handling the product must be grounded.

A vapor suppressing foam may be used to reduce vapors. LARGE SPILLS: Dike far ahead of liquid spill for later disposal.

6.4 Reference to other sections

Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Handling

• Handle and open container with care. Use only with adequate ventilation. Avoid contact with heat and ignition sources. All equipment used when handling the product must be grounded. Use only non-sparking tools. Take precautionary measures against static charges. Protect from moisture. Reacts with water, producing toxic and corrosive fumes. Wear appropriate personal protective equipment, avoid direct contact. Do not ingest. Do not breathe gas, mist, vapors, spray. Do not get in eyes, on skin, or on clothing. Empty containers retain product residue and can be hazardous. Do not cut, weld, puncture or incinerate container. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

7.2 Conditions for safe storage, including any incompatibilities

Storage • Ventilate enclosed areas. Keep only in the original container. Keep container tightly

closed. Avoid contact with heat and ignition sources and oxidizers. Store in a cool, dry, well-ventilated place. Empty containers retain product residue and can be hazardous. Do not cut, weld, puncture or incinerate container.

7.3 Specific end use(s)

Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

			Exposure Limits	s/Gui	delines		
	Result	ACGIH	Canada British Columbia	Ca	anada Ontario	Canada Quebec	NIOSH
Phosgono	TWAs	0.1 ppm TWA	0.1 ppm TWA	0.1 p	ppm TWA	0.1 ppm TWAEV; 0.40 mg/m3 TWAEV	0.1 ppm TWA; 0.4 mg/m3 TWA
Phosgene (75-44-5)	Ceilings	Not established	Not established	Not 6	established	Not established	0.2 ppm Ceiling (15 min); 0.8 mg/m3 Ceiling (15 min)
Hydrochloric acid (7647-01-0)	Ceilings	2 ppm Ceiling	2 ppm Ceiling	nm Cellina 📕 nnm Cellina 📕		5 ppm Ceiling; 7.5 mg/m3 Ceiling	5 ppm Ceiling; 7 mg/m3 Ceiling
2-ethyl-Hexanoic acid (149-57-5)	TWAs	5 mg/m3 TWA (inhalable fraction and vapor)	5 mg/m3 TWA (aerosol, inhalable, and vapour)	aerosol, inhalable, (inhalable frac		Not established	Not established
		Ex	posure Limits/Gu	ıideliı	nes (Con't.)		
			Result		OSHA		
Phosgene (75-44-5)		TWAs		0.1 ppm TWA; 0.4 mg/m3 TWA	4		
Hydrochloric acid (7647-01-0)			Ceilings	5 ppm Ceiling; 7 mg/m3 Ceiling			

8.2 Exposure controls

Engineering Measures/Controls

 Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Use explosion-proof electrical/ventilating/lighting/equipment.

Personal Protective Equipment

Respiratory

If workers are exposed to concentrations above the exposure limit, they must use
appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator
complying with an approved standard if a risk assessment indicates this is necessary.
Respirator selection must be based on known or anticipated exposure levels, the
hazards of the product and the safe working limits of the selected respirator.

Eye/Face Skin/Body

- Wear chemical splash goggles and face shield.
- Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. HANDS: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Environmental Exposure Controls

 Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways. Follow

best practice for site management and disposal of waste.

Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene

NIOSH = National Institute of Occupational Safety and Health

OSHA = Occupational Safety and Health Administration

TWAEV = Time-Weighted Average Exposure Value

= Time-Weighted Averages are based on 8h/day, 40h/week exposures

Section 9 - Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

Material Description			
Physical Form	Liquid	Appearance/Description	Colorless to light yellow liquid with a pungent, mustard-like odor.
Color	Colorless to light yellow.	Odor	Pungent, mustard-like odor.
Odor Threshold	No data available		
General Properties	•	-	
Boiling Point	182.5 C(360.5 F) @760 mmHg	Melting Point	-17.74 C(0.068 F)
Decomposition Temperature	No data available	рН	Acidic
Specific Gravity/Relative Density	0.95 Water=1 @ 20 C(68 F)	Density	7.93 lbs/gal
Water Solubility	Reacts	Viscosity	No data available
Explosive Properties	No data available	Oxidizing Properties:	No data available
Volatility		-	
Vapor Pressure	0.72 mmHg (torr) @ 20 C(68 F)	Vapor Density	No data available
Evaporation Rate	No data available	VOC (Vol.)	100 %
Volatiles (Vol.)	100 %		
Flammability		-	
Flash Point	82 C(179.6 F) CC (Closed Cup)	UEL	No data available
LEL	No data available	Autoignition	No data available
Flammability (solid, gas)	Not relevant.		
Environmental			
Octanol/Water Partition coefficient	2.401 Kow @ 20°C		

9.2 Other Information

No additional physical and chemical parameters noted.

Section 10: Stability and Reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under recommended storage and handling conditions.

10.3 Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous polymerization will not occur.

10.4 Conditions to avoid

Excess heat, sparks, open flame. Protect from moisture. Avoid contamination by any

source including metals, dust and organic materials.

10.5 Incompatible materials

 Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids, moisture, water, alcohols, amines, rust. Activated carbon. Metal salt.

10.6 Hazardous decomposition products

 Decomposition products may include the following materials: carbon oxides, Hydrogen chloride (HCI)., Phosgene gas.

Section 11 - Toxicological Information

11.1 Information on toxicological effects

		Components
Hexanoyl chloride, 2-ethyl- (> 97%)	760-67- 8	Acute Toxicity: Inhalation-Rat LC50 • 1260 mg/m³; Lungs, Thorax, or Respiration:Other changes
		Impurities, Stabilizers, etc
2-ethyl-Hexanoic acid (< 1%)	149-57-5	Acute Toxicity: Skin-Rabbit LD50 • 1260 µL/kg; Irritation: Eye-Rabbit • 20 mg • Severe irritation; Skin-Rabbit • 450 mg-Open • Mild irritation; Multi-dose Toxicity: Ingestion/Oral-Rat TDLo • 8800 mg/kg 2 Week(s)-Intermittent; Behavioral:Somnolence (general depressed activity); Liver:Changes in liver weight; Skin and Appendages:Other.Hair; Reproductive: Ingestion/Oral-Rat TDLo • 5 g/kg (6-15D preg); Reproductive Effects:Effects on Embryo or Fetus:Fetotoxicity (except death, e.g., stunted fetus)
2-Pyrrolidinone, 1- octyl- (< 0.3%)	2687-94 7	Acute Toxicity: Ingestion/Oral-Rat LD50 • 2050 mg/kg; Gastrointestinal:Other changes; Liver:Other changes; Kidney, Ureter, and Bladder:Other changes; Skin-Rabbit LD50 • >2 g/kg; Irritation: Skin-Rabbit • 500 mg 24 Hour(s) • Severe irritation; Multi-dose Toxicity: Ingestion/Oral-Rat TDLo • 8960 mg/kg 28 Day(s)-Intermittent; Blood:Changes in leucocyte (WBC) count; Nutritional and Gross Metabolic:Gross Metabolite Changes:Weight loss or decreased weight gain; Biochemical:Enzyme inhibition, induction, or change in blood or tissue levels:Transaminases
Phosgene (< 0.2%)	75-44-5	Multi-dose Toxicity: Inhalation-Rat TCLo • 200 ppb 6 Hour(s) 4 Week(s)-Intermittent; Lungs, Thorax, or Respiration:Structural or functional change in trachea or bronchi; Lungs, Thorax, or Respiration:Changes in lung weight
Hydrochloric acid (< 1%)	7647-01 0	Acute Toxicity: Inhalation-Rat LC50 • 7004 mg/m³ 30 Minute(s); Lungs, Thorax, or Respiration:Acute pulmonary edema; Reproductive: Inhalation-Rat TCLo • 450 mg/m³ 1 Hour(s)(1D pre); Reproductive Effects:Effects on Embryo or Fetus:Fetotoxicity (except death, e.g., stunted fetus); Reproductive Effects:Specific Developmental Abnormalities:Homeostasis

GHS Properties	Classification
A cuto tovicity	EU/CLP • Acute Toxicity - Inhalation 2 - ATEmix(inhI)=0.3253 mg/L (mist); Acute Toxicity - Oral 4 - ATEmix(oral)=1456 mg/kg OSHA HCS 2012 • Acute Toxicity - Inhalation 2 - ATEmix(inhI)=0.3253 mg/L (mist);
Acute toxicity	Acute Toxicity - Oral 4 - ATEmix(oral)=1456 mg/kg UN GHS • Acute Toxicity - Dermal 5; Acute Toxicity - Inhalation 2 - ATEmix(inhl)=0.3253 mg/L (mist); Acute Toxicity - Oral 4 - ATEmix(oral)=1456 mg/kg
Aspiration Hazard	EU/CLP • No data available OSHA HCS 2012 • No data available UN GHS • No data available
Carcinogenicity	EU/CLP • No data available OSHA HCS 2012 • No data available UN GHS • No data available

<u></u>	
Germ Cell Mutagenicity	EU/CLP • No data available OSHA HCS 2012 • No data available UN GHS • No data available
Skin corrosion/Irritation	EU/CLP • Skin Corrosion 1B OSHA HCS 2012 • Skin Corrosion 1B UN GHS • Skin Corrosion 1B
Skin sensitization	EU/CLP • No data available OSHA HCS 2012 • No data available UN GHS • No data available
STOT-RE	EU/CLP • No data available OSHA HCS 2012 • No data available UN GHS • No data available
STOT-SE	EU/CLP • No data available OSHA HCS 2012 • No data available UN GHS • No data available
Toxicity for Reproduction	EU/CLP • No data available OSHA HCS 2012 • Toxic to Reproduction 2 UN GHS • Toxic to Reproduction 2
Respiratory sensitization	EU/CLP • No data available OSHA HCS 2012 • No data available UN GHS • No data available
Serious eye damage/Irritation	EU/CLP • Serious Eye Damage 1 OSHA HCS 2012 • Serious Eye Damage 1 UN GHS • Serious Eye Damage 1

Potential Health Effects Inhalation

Acute (Immediate)
Chronic (Delayed)

- Fatal if inhaled. May cause corrosive burns irreversible damage.
- Repeated or prolonged exposure to corrosive fumes may cause bronchial irritation with chronic cough.

Skin

Eve

Acute (Immediate) Chronic (Delayed)

- May be harmful in contact with skin. Causes severe skin burns and eye damage.
- Repeated or prolonged exposure to corrosive materials will cause dermatitis.

Acute (Immediate)

Causes serious eye damage. Animal testing has shown 2-Ethylhexanoyl Chloride (2-EHCL) to be mildly irritating in both washed and nonwashed eyes. Eye contact with this material will produce immediate irritation. However, based upon experimental animal data, if the chemical is immediately washed from the eyes, permanent ocular tissue damage should not occur.

 Repeated or prolonged exposure to corrosive materials or fumes may cause conjunctivitis.

Chronic (Delayed)

Ingestion
Acute (Immediate)
Chronic (Delayed)

- Harmful if swallowed. May cause irreversible damage to mucous membranes.
- Repeated or prolonged exposure to corrosive materials or fumes may cause gastrointestinal distrubances.
- Animal tests show that 2-ethyl-Hexanoic acid (149-57-5) possibly causes toxicity to human reproduction or development.

Reproductive Effects

Key to abbreviations
LC = Lethal Concentration
LD = Lethal Dose

TC = Toxic Concentration

TD = Toxic Dose

Section 12 - Ecological Information

12.1 Toxicity

	2-Ethylhexanoyl Chloride				
Dosage	Species	Duration	Results	Exposure Conditions	Comments
85.4 mg/L	Crustacea: Daphnia Magna	48 Hour(s)	EC50	Fresh water	Hexanoyl chloride, 2-ethyl-
40.6 mg/L	Aquatic Plant(s): Scenedesmus Subspicatus	96 Hour(s)	EC50	Fresh water	Hexanoyl chloride, 2-ethyl-

12.2 Persistence and degradability

Bioconcentration factor: 14.09 (calculated.)

12.3 Bioaccumulative potential

This product shows a low bioaccumulation potential.

12.4 Mobility in Soil

 Water solubility: Highly reactive with water. A water-air, model level III fugacity study (environmental transport) predicts the following results: Air 14.1%, Water 50.1%, Soil 35.6%, Sediment 0.234%.

12.5 Results of PBT and vPvB assessment

No PBT and vPvB assessment has been conducted.

12.6 Other adverse effects

. No studies have been found.

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Product waste

 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	UN2927	Toxic liquid, Corrosive, organic, n.o.s. (2-ethylhexanoyl chloride)	6.1,8		NDA
TDG	UN2927	TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. (2-ethylhexan chloride)	6.1,8	II	Potential Marine Pollutant
IMO/IMDG	UN2927	TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. (2-ethylhexan chloride)	6.1,8	II	NDA
IATA/ICAO	UN2927	Toxic liquid, Corrosive, organic, n.o.s. (2-ethylhexanoyl chloride)	6.1,8	Ш	NDA

14.6 Special precautions for • None specified.

user

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

. Data lacking.

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • Acute, Chronic, Fire

	Inventory					
Component	CAS	Canada DSL	Canada NDSL	EU EINECS	EU ELNICS	TSCA
2-ethyl-Hexanoic acid	149-57-5	Yes	No	Yes	No	Yes
2-Ethylhexanoic Anhydride	36765-89-6	No	No	Yes	No	No
2-Pyrrolidinone, 1- octyl-	2687-94-7	Yes	No	No	Yes	Yes
Hexanoyl chloride, 2-ethyl-	760-67-8	No	Yes	Yes	No	Yes
Hydrochloric acid	7647-01-0	Yes	No	Yes	No	Yes
Phosgene	75-44-5	Yes	No	Yes	No	Yes

Canada

Canada - WHMIS - Classifications of Substances		
• Phosgene	75-44-5	A, D1A, E A, D1A, E (listed under Hydrogen chloride); D1A, E; (0.036% in aqueous solution, 0.36% in aqueous solution,
Hydrochloric acid	7647-01-0	3.6% in aqueous solution); D1B, E (28% in aqueous solution); D1A, E (31.45% in aqueous solution, 35.2% in aqueous solution)
2-Pyrrolidinone, 1-octyl-	2687-94-7	Not Listed
2-ethyl-Hexanoic acid	149-57-5	E
Hexanoyl chloride, 2-ethyl-	760-67-8	Not Listed
2-Ethylhexanoic Anhydride	36765-89-6	Not Listed
Canada - WHMIS - Ingredient Disclosure List		
• Phosgene	75-44-5	1 %
Hydrochloric acid	7647-01-0	1 %
• 2-Pyrrolidinone, 1-octyl-	2687-94-7	Not Listed
2-ethyl-Hexanoic acid	149-57-5	1 %
Hexanoyl chloride, 2-ethyl-	760-67-8	Not Listed
2-Ethylhexanoic Anhydride	36765-89-6	Not Listed

Environment

Canada - CEPA - Priority Substances List

Phosgene	75-44-5 Not Listed
Hydrochloric acid	7647-01-0 Not Listed
2-Pyrrolidinone, 1-octyl-	2687-94-7 Not Listed
2-ethyl-Hexanoic acid	149-57-5 Not Listed
Hexanoyl chloride, 2-ethyl-	760-67-8 Not Listed
2-Ethylhexanoic Anhydride	36765-89-6 Not Listed

United States

Phosgene	75-44-5	100 lb TQ
Hydrochloric acid	7647-01-0	5000 lb TQ; 5000 lb TQ (anhydrous)
2-Pyrrolidinone, 1-octyl-	2687-94-7	Not Listed
2-ethyl-Hexanoic acid	149-57-5	Not Listed
Hexanoyl chloride, 2-ethyl-	760-67-8	Not Listed
2-Ethylhexanoic Anhydride	36765-89-6	Not Listed
J.S OSHA - Specifically Regulated Chemicals		
Phosgene	75-44-5	Not Listed
Hydrochloric acid	7647-01-0	Not Listed
2-Pyrrolidinone, 1-octyl-	2687-94-7	Not Listed
2-ethyl-Hexanoic acid	149-57-5	Not Listed
Hexanoyl chloride, 2-ethyl-	760-67-8	Not Listed
2-Ethylhexanoic Anhydride	36765-89-6	Not Listed

Environment Transfer of the Control		
U.S CAA (Clean Air Act) - 1990 Hazardous Air Pollutants		
• Phosgene	75-44-5	
Hydrochloric acid	7647-01-0	
2-Pyrrolidinone, 1-octyl-	2687-94-7	Not Listed
2-ethyl-Hexanoic acid	149-57-5	Not Listed
Hexanoyl chloride, 2-ethyl-	760-67-8	Not Listed
2-Ethylhexanoic Anhydride	36765-89-6	Not Listed
U.S CERCLA/SARA - Hazardous Substances and their Reportable Quantities		
• Phosgene	75-44-5	10 lb final RQ; 4.54 kg final RQ
Hydrochloric acid	7647-01-0	5000 lb final RQ; 2270 kg final RQ
2-Pyrrolidinone, 1-octyl-	2687-94-7	Not Listed
2-ethyl-Hexanoic acid	149-57-5	Not Listed
Hexanoyl chloride, 2-ethyl-	760-67-8	Not Listed
2-Ethylhexanoic Anhydride	36765-89-6	Not Listed
U.S CERCLA/SARA - Radionuclides and Their Reportable Quantities		
• Phosgene	75-44-5	Not Listed
Hydrochloric acid	7647-01-0	Not Listed
2-Pyrrolidinone, 1-octyl-	2687-94-7	Not Listed
2-ethyl-Hexanoic acid	149-57-5	Not Listed
Hexanoyl chloride, 2-ethyl-	760-67-8	Not Listed
2-Ethylhexanoic Anhydride	36765-89-6	Not Listed

• Phosgene	75-44-5	10 lb EPCRA RQ
Hydrochloric acid	7647-01-0	5000 lb EPCRA RQ (gas only)
2-Pyrrolidinone, 1-octyl-	2687-94-7	Not Listed
2-ethyl-Hexanoic acid	149-57-5	Not Listed
Hexanoyl chloride, 2-ethyl-	760-67-8	Not Listed
2-Ethylhexanoic Anhydride	36765-89-6	Not Listed
U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs		
• Phosgene	75-44-5	10 lb TPQ
Hydrochloric acid	7647-01-0	500 lb TPQ (gas only)
• 2-Pyrrolidinone, 1-octyl-	2687-94-7	Not Listed
2-ethyl-Hexanoic acid	149-57-5	Not Listed
Hexanoyl chloride, 2-ethyl-	760-67-8	Not Listed
2-Ethylhexanoic Anhydride	36765-89-6	Not Listed
U.S CERCLA/SARA - Section 313 - Emission Reporting		
• Phosgene	75-44-5	1.0 % de minimis
• Filosgene	75-44-5	concentration
		1.0 % de minimis
Hardwork last and d	7047.04.0	concentration (acid aerosols
Hydrochloric acid	7647-01-0	including mists, vapors, gas, fog, and other airborne forms
		of any particle size)
2-Pyrrolidinone, 1-octyl-	2687-94-7	Not Listed
2-ethyl-Hexanoic acid	149-57-5	Not Listed
Hexanoyl chloride, 2-ethyl-	760-67-8	Not Listed
2-Ethylhexanoic Anhydride	36765-89-6	Not Listed
2-Littymexation Annyunde	30703-09-0	Not Listed
U.S CERCLA/SARA - Section 313 - PBT Chemical Listing		
• Phosgene	75-44-5	Not Listed
Hydrochloric acid	7647-01-0	Not Listed
• 2-Pyrrolidinone, 1-octyl-	2687-94-7	Not Listed
2-ethyl-Hexanoic acid	149-57-5	Not Listed
Hexanoyl chloride, 2-ethyl-	760-67-8	Not Listed
2-Ethylhexanoic Anhydride	36765-89-6	Not Listed
U.S TSCA (Toxic Substances Control Act) - Section 12(b) - Export Notification		
• Phosgene	75-44-5	Not Listed
Hydrochloric acid	7647-01-0	Not Listed
2-Pyrrolidinone, 1-octyl-	2687-94-7	Not Listed
2-ethyl-Hexanoic acid	149-57-5	Not Listed
Hexanoyl chloride, 2-ethyl-	760-67-8	Not Listed
2-Ethylhexanoic Anhydride	36765-89-6	Not Listed

United States - California

.S California - Proposition 65 - Carcinogens List		
Phosgene	75-44-5	Not Listed
Hydrochloric acid	7647-01-0	Not Listed
2-Pyrrolidinone, 1-octyl-	2687-94-7	Not Listed
2-ethyl-Hexanoic acid	149-57-5	Not Listed
Hexanoyl chloride, 2-ethyl-	760-67-8	Not Listed
2-Ethylhexanoic Anhydride	36765-89-6	Not Listed

U.S California - Proposition 65 - Developmental Toxicity		
• Phosgene	75-44-5	Not Listed
Hydrochloric acid	7647-01-0	Not Listed
2-Pyrrolidinone, 1-octyl-	2687-94-7	Not Listed
• 2-ethyl-Hexanoic acid	149-57-5	developmental toxicity, initial date 8/7/09
Hexanoyl chloride, 2-ethyl-	760-67-8	Not Listed
2-Ethylhexanoic Anhydride	36765-89-6	Not Listed
U.S California - Proposition 65 - Maximum Allowable Dose Levels (MADL)		
• Phosgene	75-44-5	Not Listed
Hydrochloric acid	7647-01-0	Not Listed
• 2-Pyrrolidinone, 1-octyl-	2687-94-7	Not Listed
2-ethyl-Hexanoic acid	149-57-5	Not Listed
Hexanoyl chloride, 2-ethyl-	760-67-8	Not Listed
2-Ethylhexanoic Anhydride	36765-89-6	Not Listed
U.S California - Proposition 65 - No Significant Risk Levels (NSRL)		
• Phosgene	75-44-5	Not Listed
Hydrochloric acid	7647-01-0	Not Listed
• 2-Pyrrolidinone, 1-octyl-	2687-94-7	Not Listed
2-ethyl-Hexanoic acid	149-57-5	Not Listed
Hexanoyl chloride, 2-ethyl-	760-67-8	Not Listed
2-Ethylhexanoic Anhydride	36765-89-6	Not Listed
U.S California - Proposition 65 - Reproductive Toxicity - Female		
• Phosgene	75-44-5	Not Listed
Hydrochloric acid	7647-01-0	Not Listed
• 2-Pyrrolidinone, 1-octyl-	2687-94-7	Not Listed
2-ethyl-Hexanoic acid	149-57-5	Not Listed
Hexanoyl chloride, 2-ethyl-	760-67-8	Not Listed
2-Ethylhexanoic Anhydride	36765-89-6	Not Listed
U.S California - Proposition 65 - Reproductive Toxicity - Male		
• Phosgene	75-44-5	Not Listed
Hydrochloric acid	7647-01-0	Not Listed
• 2-Pyrrolidinone, 1-octyl-	2687-94-7	Not Listed
2-ethyl-Hexanoic acid	149-57-5	Not Listed
Hexanoyl chloride, 2-ethyl-	760-67-8	Not Listed
2-Ethylhexanoic Anhydride	36765-89-6	Not Listed

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out.

15.3 Other Information

• WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Section 16 - Other Information

Relevant Phrases (code & full text)

 H280 - Contains gas under pressure; may explode if heated H335 - May cause respiratory irritation H361d - Suspected of damaging the unborn child. H411 - Toxic to aquatic life with long lasting effects

R23 - Toxic by inhalation.

R35 - Causes severe burns.

R51 - Toxic to aquatic organisms.

R53 - May cause long-term adverse effects in the aquatic environment.

R63 - Possible risk of harm to the unborn child.

- 22/September/2014
- 22/September/2014
- The technical data given herein is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release, and is not to be considered a warranty or quality specification. No guarantee is being given as to the end use performance. The product is sold on the basis that buyers test the product for their specific purposes. This information related to the material designated and may not be valid for such material used in combination with any other materials or in any process.

Last Revision Date Preparation Date Disclaimer/Statement of Liability

Key to abbreviations NDA = No data available